

Based on the 3D turn rates and accelerations provided by the IMU we analysed characteristic features for each target activity with their physical or bio-mechanical explanation, their discriminative power between activities and their computation complexity. The features span different window lengths from 32 to 512 samples (at 100 Hz), which represent the different natures of instantaneous activities (like “jumping”) to longer term, repetitive activities like “running”. All features are calculated in real time with a frequency of 4 Hz and discretised into states meaningful to distinguish between activities. These have been defined manually in our set up, but this could be automated easily with data clustering algorithms. In our implementation, the set of features is easily extendable and would also cover the integration of more sensors into the system seamlessly.

For the classification, we decided to apply Bayesian techniques. With the discretised value ranges of all features, we applied a modified learning algorithm for discrete Bayesian Networks (BNs), the Greedy Hill Climber with Random Restarts based on the Cooper and Herskovits Log score (see [8]) and Dirichlet distributions of the conditional probability tables, on our 270 minutes activities data set. We limited structure learning to a fixed number of parents per node and imposed causal direction to learnt arcs. The learnt structure is shown in Figure 1.

For evaluation, we calculated the posterior probability of the node “Activity” and selected the most probable value given the evidence from the finally selected features.

In order to further improve the classification results, we decided to add the temporal domain to the learnt BN, by defining a first order Hidden Markov Model (with Activity being the hidden node). The transition model was defined manually and evaluated with a Grid-Based Filter [9].

RESULTS

Our results are based on the evaluation with our data set, recorded from 16 different persons (6 female, 10 male, aged from 23 to 50 years) under semi-naturalistic conditions. Our results show that Bayesian evaluation leads to very good results. As expected, the incorporation of the temporal history in the HMM provides the best results.

	SIT	STD	WLK	RUN	JMP	FAL	LYG
Recall	1	0.98	1	0.93	0.93	1	0.98
Precision	0.97	1	0.98	1	0.93	0.8	1

Table 1: Precision and recall for every activity with dynamic inference from a learnt BN. Features are computed at 4 Hz, with sliding windows and recognition delay taken into account

A four-fold cross validation (learning data from 3 persons and evaluating for a fourth person), taking into account the recognition delay of 0.5 s (due to the window lengths and the 4 Hz evaluation frequency) provides very good results with a recall rate between 93% and 100%, see Table 1.

Precision is almost as high as recall, but with an outlier for the activity “falling”. This is caused by the transition probabilities and the recognition delay, again, but optimised in this way in order not to miss any fall.

With these 0.5 seconds of delay, activities can be recognised in time for the applications mentioned in the introduction. The computation time is negligible, as feature computation takes 1.5 ms on average, inference with the Grid-Based Filter on the learnt BN 7.7 ms (averaged on 780 runs on an Intel Core 2 Duo E8400 microprocessor with 3 GHz and 2 GB RAM).

REFERENCES

1. Widyawan, M. Klepal, and S. Beauregard, “A backtracking particle filter for fusing building plans with PDR displacement estimates,” in Proceedings of the 5th Workshop on Positioning, Navigation and Communication, 2008, WPNC08, Hannover, Germany, Mar. 2008.
2. M. Uiterwaal, E. Glerum, H. Busser, and R. van Lummel, “Ambulatory monitoring of physical activity in working situations, a validation study,” *Journal of Medical Engineering & Technology*, vol. 22, no. 4, pp. 168–172, July/August 1998.
3. K. V. Laerhoven and O. Cakmakci, “What shall we teach our pants?” in ISWC ’00: Proceedings of the 4th IEEE International Symposium on Wearable Computers. Washington, DC, USA: IEEE Computer Society, p. 77, 2000.
4. J. Mantjarvi, J. Himberg, and T. Seppanen, “Recognizing human motion with multiple acceleration sensors,” in Systems, Man, and Cybernetics, 2001 IEEE International Conference on, vol. 2, pp. 747–752 vol.2, 2001.
5. S.-W. Lee and K. Mase, “Activity and location recognition using wearable sensors,” *Pervasive Computing, IEEE*, vol. 1, no. 3, pp. 24–32, 2002.
6. M. Losch, S. Schmidt-Rohr, S. Knoop, S. Vacek, and R. Dillmann, “Feature set selection and optimal classifier for human activity recognition,” in the 16th IEEE International Symposium on Robot and Human interactive Communication. RO-MAN 2007, pp. 1022–1027, Aug. 2007.
7. G. S. Chambers, S. Venkatesh, G. A. W. West, and H. H. Bui, “Hierarchical recognition of intentional human gestures for sports video annotation,” Proceedings. 16th International Conference on Pattern Recognition, vol. 2, pp. 1082–1085, 2002.
8. G. F. Cooper and E. Herskovits. “A Bayesian method for the induction of probabilistic networks from data,” *Machine Learning*, 09(4):309–347, October 1992
9. I. D. Coope and C. J. Price. “On the convergence of grid-based methods for unconstrained optimization,” *SIAM J. on Optimization*, 11(4):859–869, 2000.